

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	209	(713/162).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:35
L2	185	(713/167).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:36
L3	94	(713/152).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:36
L4	180	(process with first with address with space) and (process with second with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:37
L5	11	("713"/\$).ccls. and (process with first with address with space) and (process with second with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:14
L7	2	(process with first with address with space) and (process with second with address with space) and com	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:21
L8	222	(COM near1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:22
L9	1	I4 and I8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:21
L10	32	(COM near1 server) and (address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:45
L11	2	(address with space) with inaccessible with (second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 15:33

L12	2	(address with space with process) with inaccessible with (second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 15:50
L13	23661	("713"/\$).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 15:50
L14	142	("713"/\$).cccls. and (first with address with space) and (second with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 15:51
L15	26	("713"/\$).cccls. and ((process or thread or cpu) first with address with space) and (second with (process or cpu or thread) with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 15:58
L16	31	(creat\$ with first with process with first with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:24
L17	15	(creat\$ with second with process with second with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:00
L18	9	l16 and l17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:17
L19	2	(first with address with space with inaccessible with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:19
L20	3	(first with address with space with accessible with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:19
L21	0	(secure with first with processor with non-secure with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:25

L22	11	(secure with first with processor with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:25
L24	380	(secure with first with process with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:26
L25	4	(secure with first with process with non-secure with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:27
L27	380	(secure with first with process with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:27
L28	2	I27 and I16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:35
L29	15	(first with process with communicat\$ with second with process with (COM OR API))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:40
L30	0	(NON-SECURE WITH OBJECTS WITH HOSTED WITH SECOND WITH PROCESS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:41
L31	1	(NON-SECURE WITH OBJECTS WITH SECOND WITH PROCESS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:42
L32	5	(secure with application with run\$ with first with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:43
L33	35	(secure with application with first with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:45

L34	2	(non-secure with software with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:44
L35	5	(non-secure with software with object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:44
L36	1	I33 and I35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:44
L37	1	(non-secure with software with object\$ with second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:45
L39	2	(non-secure with software with object\$ with second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:45
L40	3	(secure with application with first with process) and (non-secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	209	(713/162).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:35
L2	185	(713/167).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:36
L3	94	(713/152).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:36
L4	180	(process with first with address with space) and (process with second with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:37
L5	11	("713"/\$).ccls. and (process with first with address with space) and (process with second with address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:14
L7	2	(process with first with address with space) and (process with second with address with space) and com	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:21
L8	222	(COM near1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:22
L9	1	I4 and I8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:21
L10	32	(COM near1 server) and (address with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:45
L11	2	(address with space) with inaccessible with (second with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:46